

RADIAL DRILLING SORALUCE M4042

Ref: 048294



Zentral

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telefon: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telefon: +34 965 553 233 / FAX: +34 966 554 990


Technische Daten

Marke	SORALUCE
MODEL	TR-3 2.500
TYPE	RADIAL
TRAVEL LENGHT	8.000
BORING CAPACITY	100
TAPER	CM-6
MAIN MOTOR POWER	10 CV
EXTERNAL DIMENSIONS	4.200 x 1.560 x 3.420
WEIGHT	12.100

Bilder



soraluce



TR1-60
TR3-100

Modelo	Velocidad
TR1-60	1000
TR3-100	1000

VELOCIDADES Y AVANZOS

TR0-50	Velocidad: 1000-10000 RPM Avance: 0,1-1 mm/min
TR1-60	Velocidad: 1000-10000 RPM Avance: 0,1-1 mm/min
TR3-100	Velocidad: 1000-10000 RPM Avance: 0,1-1 mm/min

soraluce

RENDIMIENTO Y AVANZOS

Modelo	Velocidad	Avance
TR0-50	1000	0,1-1
TR1-60	1000	0,1-1
TR3-100	1000	0,1-1