

RADIAL DRILLING SORALUCE M4042

Ref: 048294



Technische Daten

Marke	SORALUCE
MODEL	TR-3 2.500
TYPE	RADIAL
TRAVEL LENGHT	8.000
BORING CAPACITY	100
TAPER	CM-6
MAIN MOTOR POWER	10 CV
EXTERNAL DIMENSIONS	4.200 x 1.560 x 3.420
WEIGHT	12.100

Bilder



soraluce



TR1-60
TR3-100

Modelo	Características
TR1-60	600 mm
TR3-100	1000 mm

VELOCIDADES Y AVANZOS

Modelo	Velocidades (RPM)	Avanzos (mm/min)
TR1-60	100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000	0,1, 0,2, 0,3, 0,4, 0,5, 0,6, 0,7, 0,8, 0,9, 1,0, 1,1, 1,2, 1,3, 1,4, 1,5, 1,6, 1,7, 1,8, 1,9, 2,0
TR3-100	100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000	0,1, 0,2, 0,3, 0,4, 0,5, 0,6, 0,7, 0,8, 0,9, 1,0, 1,1, 1,2, 1,3, 1,4, 1,5, 1,6, 1,7, 1,8, 1,9, 2,0

soraluce

Modelos y Características

Modelo	Características
TR1-60	600 mm
TR3-100	1000 mm