

Takumi H7

Ref: TAKUMI H7



Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	750
Y Axis travel	600
Z Axis stroke	500
Spindle nose to table surface	150 - 650
Distance between column	850
Working table area (LxW)	810x620
Max. Load (Workpiece Load)	500
T slot (WxDxN)	18x125x5
Spindle Nose	BBT-40
Spindle Speed	15.000
Spindle type	Motor directo
Main motor	15/ 18.5
Cutting Feedrate	32/ 32/ 32
X/Y/Z Axis cutting feedrate	20000
Servomotor X/Y/Z	4.5/ 4.5/ 4.5
Auto tool changer ATC type	Swing-Arm
Tool storage capacity	24
Max. Tool Diameter	80/ 150
Max. Tool Length	300
Max. Tool Weight	7
Pneumatic pressure	6
Power requirement	50
Machine weight	7.000
Floor space (LxW)	3.530x4.220
Machine Height	2.760

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

