

Double Column Machining Center Takumi H10

Ref: TAKUMI H10



Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	1.020
Y Axis travel	700
Z Axis stroke	500
Spindle nose to table surface	180 - 680
Distance between column	1.080
Working table area (LxW)	1.050x700
Max. Load (Workpiece Load)	800
T slot (WxDxN)	18x125x6
Spindle Nose	BBT40
Spindle Speed	15.000
Spindle type	Direct drive
Main motor	15/ 18.5
Cutting Feedrate	32/ 32/ 32
X/Y/Z Axis cutting feedrate	20000
Servomotor X/Y/Z	4.5/ 4.5/ 4.5
Auto tool changer ATC type	Swing-Arm
Tool storage capacity	30
Max. Tool Diameter	76/ 150
Max. Tool Length	300
Max. Tool Weight	7
Pneumatic pressure	6
Power requirement	50
Machine weight	9.100
Floor space (LxW)	4.520x4.290
Machine Height	2.830

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

