

Center of mechanized double column Takumi H12

Ref: TAKUMI H12



Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	1.350
Y Axis travel	950
Z Axis stroke	600
Spindle nose to table surface	200 - 800
Distance between column	1.060
Working table area (LxW)	960x1.500
Max. Load (Workpiece Load)	1.800
T slot (WxDxN)	22x160x6
Spindle Nose	BBT40
Spindle Speed	15.000
Spindle type	Motor directo
Main motor	15/ 18.5
Cutting Feedrate	30/ 30/ 30
X/Y/Z Axis cutting feedrate	20000
Servomotor X/Y/Z	7.0/ 4.5/ 7.0
Auto tool changer ATC type	Swing-Arm
Tool storage capacity	30
Max. Tool Diameter	76/ 150
Max. Tool Length	300
Max. Tool Weight	7
Pneumatic pressure	6
Power requirement	60
Machine weight	13.000
Floor space (LxW)	5.020x5.330
Machine Height	3.500

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

