


Takumi H22T

Ref: H22T



Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	2.200
Y Axis travel	2.250
Z Axis stroke	800
Spindle nose to table surface	150 - 950
Distance between column	2.350
Working table area (LxW)	2.400x2.100
Max. Load (Workpiece Load)	8.000
T slot (WxDxN)	22x200x10
Spindle Nose	BBT40
Spindle Speed	15.000
Spindle type	Transmisión directa
Main motor	15/ 18.5
Cutting Feedrate	20/ 16/ 20
X/Y/Z Axis cutting feedrate	12.000
Servomotor X/Y/Z	14/ 9/ 5.5
Auto tool changer ATC type	Swing-Arm
Tool storage capacity	30
Max. Tool Diameter	76/ 150
Max. Tool Length	250
Max. Tool Weight	7
Pneumatic pressure	6
Power requirement	75
Machine weight	31.000
Floor space (LxW)	5.230x6.740
Machine Height	3.950

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

