


Pinnacle SV116 Machining Center

Ref: SV-116



Tech specs

| | |
|--------------------------------------|----------------------|
| Brand | PINNACLE |
| X Axis stroke | 1.140 |
| Y Axis travel | 610 |
| Z Axis stroke | 610 |
| Max. Load (Workpiece Load) | 850 |
| Spindle nose to table surface | 110-720 |
| T slot (WxDxN) | 18x125x5 |
| Working table area (LxW) | 1.300x610 |
| Spindle Nose | BT-40 |
| Spindle inner diameter | 70 |
| Spindle center to column | 675 |
| Spindle Speed | 40-8.000 |
| Draw bar force | 950 |
| Main motor | 7.5/ 11 |
| Feed motor X/Y/Z | 20/ 20/ 20 |
| X/Y/Z Axis cutting feedrate | 10000 |
| Tool storage capacity | 24 |
| Max. Tool Diameter | 90 |
| Max. Tool Length | 250 |
| Max. Tool Weight | 8 |
| Pneumatic pressure | 6 Kg/cm ² |
| Required voltage | 220 |
| Power requirement | 20 |
| Coolant tank capacity | 300 |
| Machine weight | 6500 |
| Machine Height | 2950 |
| Floor space (LxW) | 3100x220 |

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

