

Pinnacle DV 2122 Double Column Machining Center

Ref: DV-2122



Tech specs

Brand	PINNACLE
X Axis stroke	2.200
Y Axis travel	2.100
Z Axis stroke	900
Spindle nose to table surface	160 - 1.060
Spindle center to column	404
Distance between column	2.100
Working table area (LxW)	2.200x1.700
T slot (WxDxN)	22x150x11
Spindle Nose	ISO50
Spindle inner diameter	100
Spindle Speed	8.000
Spindle type	Engranes
Main motor	15/ 18.5
Draw bar force	2.000
Feed motor X/Y/Z	12/ 16/ 20
X/Y/Z Axis cutting feedrate	10000
Auto tool changer ATC type	DISCO/CADENA
Auto tool changer Cam type	ARM
Tool storage capacity	24/ 32
Tool selection (Bi-Direction)	RANDOM
Max. Tool Diameter	115/ 127
Max. Tool Length	350
Max. Tool Weight	20
Pull stud	ISO50
Air supply	6
Required voltage	220
Power requirement	50
Coolant tank capacity	900
Machine weight	23.500
Floor space (LxW)	6.090x5.300
Machine Height	4.500

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

