

## Pinnacle LV209 Machining Center

Ref: LV-209



## Tech specs

<b>Brand</b>	PINNACLE
<b>X Axis stroke</b>	2.000
<b>Y Axis travel</b>	900
<b>Z Axis stroke</b>	850
<b>Spindle nose to table surface</b>	100 - 950
<b>T slot (WxDxN)</b>	18x150x5
<b>Working table area (LxW)</b>	2.000x850
<b>Spindle Nose</b>	BT-50
<b>Spindle inner diameter</b>	100
<b>Spindle center to column</b>	950
<b>Spindle Speed</b>	40 - 6.000
<b>Spindle type</b>	Correas
<b>Draw bar force</b>	2.000
<b>Main motor</b>	15/ 18.5
<b>Feed motor X/Y/Z</b>	24/ 24/ 16
<b>X/Y/Z Axis cutting feedrate</b>	10000
<b>Max. Tool Diameter</b>	115/ 127
<b>Max. Tool Length</b>	350
<b>Max. Tool Weight</b>	20
<b>Air supply</b>	6
<b>Required voltage</b>	220
<b>Power requirement</b>	40
<b>Coolant tank capacity</b>	700
<b>Machine weight</b>	16.000
<b>Machine Height</b>	3.200
<b>Floor space (LxW)</b>	5.000x2900

**Central**

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

**Delegation IBI**

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

## Images

