

## Pinnacle LV126 Machining Center

Ref: PINNACLE STOCK ES LV-126 HEIDENHAIN



## Tech specs

<b>Brand</b>	PINNACLE
<b>X Axis stroke</b>	1.300
<b>Y Axis travel</b>	610
<b>Z Axis stroke</b>	610
<b>Spindle nose to table surface</b>	110-720
<b>T slot (WxDxN)</b>	18x125x5
<b>Working table area (LxW)</b>	1.400x610
<b>Spindle Nose</b>	ISO50
<b>Spindle inner diameter</b>	80
<b>Spindle Speed</b>	8.000
<b>Draw bar force</b>	2.000
<b>Main motor</b>	11/ 15
<b>Feed motor X/Y/Z</b>	30/ 30/ 24
<b>Cutting Feedrate</b>	10
<b>Tool storage capacity</b>	20
<b>Max. Tool Diameter</b>	115
<b>Max. Tool Length</b>	300
<b>Max. Tool Weight</b>	15
<b>Air supply</b>	6
<b>Required voltage</b>	220
<b>Power requirement</b>	20
<b>Machine weight</b>	6.800

**Central**

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

**Delegation IBI**

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

## Images

