

Double Column Machining Center Takumi G5

Ref: TAKUMI G5



Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	550
Y Axis travel	600
Z Axis stroke	350
Spindle nose to table surface	90 - 440
Distance between column	640
Working table area (LxW)	650x600
Max. Load (Workpiece Load)	500
T slot (WxDxN)	14x100x6
Spindle Nose	HSKE-40
Spindle Speed	24.000
Spindle type	Built-in
Main motor	10/ 12
Feed motor X/Y/Z	24/ 24/ 18
X/Y/Z Axis cutting feedrate	12000
Servomotor X/Y/Z	1.6/ 1.6/ 3.0
Auto tool changer ATC type	Flat type
Tool storage capacity	16
Max. Tool Diameter	80/ 120
Max. Tool Length	120
Max. Tool Weight	1.5
Pull stud	HSK-E40
Pneumatic pressure	6
Power requirement	20
Machine weight	5000
Floor space (LxW)	3.700x3.270
Machine Height	2.670

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

