

## CNC VERTICAL MACHINING CENTER YCM MV106A

Ref: 044471



**Central**

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

**Delegation IBI**

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

## Tech specs

<b>Brand</b>	YCM
<b>MODEL</b>	MV106A
<b>CONTROL</b>	HEIDENHAIN iTNC 530
<b>TABLE DIMENSIONS</b>	1120 x 600 MM
<b>TRAVELS X, Y, Z</b>	(X) 1020, (Y) 600, (Z) 600
<b>TAPER</b>	BT 40
<b>RPM HEADSTOCK</b>	45 - 8.000
<b>COOLING BY TOOL</b>	Sí
<b>TOOL CHANGER</b>	RANDOM, 24 POSICIONES
<b>CHIP EXTRACTOR</b>	SI
<b>YEAR</b>	2006
<b>EXTERNAL DIMENSIONS</b>	2580 x 3065 x 2730 MM
<b>WEIGHT</b>	6.500 KG

## Images



SPECIFICATIONS		YEONG CHIN	
<b>J-3 MYMA / MY7A / MV6A / MY18A SPECIFICATION</b>			
<b>MODEL</b>		<b>SPINDLE ROTATION</b>	
Spindle Speed		M/min	RPM
Auto Spindle Speed		40 - 4000mm/min (Max Speed)	40 - 4000 (Max Rev/Min)
Spindle Diameter		Ø30	Ø30
Spindle Length		Ø30	Ø30
Z axis		Ø30mm	Ø30mm
Y axis		Ø30mm	Ø30mm
X axis		Ø30mm	Ø30mm
<b>TABLES</b>			
Automatic Spindle-Feed and Table Feeds		X-Y-Z	X-Y-Z
Automatic Spindle-Feed and Table Feeds		Ø30mm	Ø30mm
Table Size		Ø30mm	Ø30mm
<b>TOWER</b>			
Total Capacity		Ø30mm	Ø30mm
Number of T-slots/Spindle		Ø30mm	Ø30mm
Spindle Feed Rate (X-Y-Z)		Ø30mm	Ø30mm
Spindle Feed Rate		Ø30mm	Ø30mm
<b>HEAD</b>			
Max. Spindle Speed		Ø30mm	Ø30mm
Max. Spindle Feed		Ø30mm	Ø30mm
Max. Spindle Length		Ø30mm	Ø30mm
<b>A.T.C.</b>			
Max. Tool Diameter		Ø30mm	Ø30mm
Max. Tool Length		Ø30mm	Ø30mm
Max. Tool Diameter		Ø30mm	Ø30mm
Max. Tool Length		Ø30mm	Ø30mm
<b>MOVER</b>			
Automatic Feed Rate		Ø30mm	Ø30mm

SPECIFICATIONS		YEONG CHIN		
Pneumatic Supply		3.5kg/cm <sup>2</sup> - 100L/min		
Power Consumption		25kVA		
OTHER		Machine Area (WxLxH)	2300mm x 2350mm x 2380mm	
		Machine Area (WxLxH)	2675mm x 3065mm x 3065mm	
		Machine Area (WxLxH)	2350mm x 2350mm x 2350mm	
Machine Weight	3000kg	5100kg	6650kg	6500kg